

# Checklist for shutdowns

**Facility/Area:** \_\_\_\_\_

**Date:** \_\_\_\_\_

Category	OKAY?		Comments
	YES	No	
<b>Have a Plan</b>			
<input type="checkbox"/> Establish or review the emergency action plan to consider actions after the exit of non-essential occupants.			
<input type="checkbox"/> Designate an Emergency Coordinator and Emergency Action Team.			
<input type="checkbox"/> Schedule meetings and drills to ensure essential onsite staff knows roles and responsibilities.			
<input type="checkbox"/> Detail communication procedures for employees, suppliers, vendors, contractors, and clients.			
<b>Building Systems and Maintenance</b>			
<input type="checkbox"/> Understand critical ongoing facility utility needs; particularly energy, fire protection, and plumbing.			
<input type="checkbox"/> Be proactive in performing preventative maintenance on back up resources such as emergency generators, and fire pumps.			
<input type="checkbox"/> Plan for unavailable contractors and third-party maintenance vendors.			
<input type="checkbox"/> Prioritize considerations for conducting in-house inspection, testing, and maintenance as allowed by local regulations on critical building systems.			
<input type="checkbox"/> Cross train essential employees that would be expected to remain onsite during the event.			
<input type="checkbox"/> Establish shut down and isolation procedures for critical equipment, utilities, and entire facility.			
<input type="checkbox"/> Properly shut down any nonessential equipment or systems (electric, water, gas) as appropriate.			
<input type="checkbox"/> Gas should be isolated (unless essential for maintaining heating).			
<input type="checkbox"/> Heating – ensure there is no possibility of freezing.			
<input type="checkbox"/> Fire sprinkler systems, fire detection systems, fire alarms, and fire pumps are maintained and remain operational.			
<input type="checkbox"/> Proper machinery start up procedures are required to recommission the facility.			

Category	OKAY?		Comments
	YES	No	
<b>Building Fire &amp; Security</b>			
<input type="checkbox"/> Plan for additional security guards, roving tours, and fire watches.			
<input type="checkbox"/> Notify local authorities including police and fire service when a building becomes unoccupied.			
<input type="checkbox"/> Make sure existing facility security systems are well maintained, and in good working order now, including alarm transmission.			
<input type="checkbox"/> Remove external combustible material (including trash bins, etc.) from nearby the building.			
<input type="checkbox"/> For any proprietary fire and security systems, ensure there is available back up personnel in the event of widespread illness.			
<input type="checkbox"/> A minimum of two individuals should remain available at all times to monitor critical fire and security alarm conditions.			
<input type="checkbox"/> Report any fire protection system (sprinkler systems, fire detection systems, special extinguishing systems) impairments to your local fire service, central monitoring station, and to your insurance carrier.			
<input type="checkbox"/> Train essential staff now on roles and responsibilities in reporting any fire protection impairments. For Chubb clients, report impairments to the relevant local Chubb impairment contacts.			
<input type="checkbox"/> For buildings lacking any fire detection or sprinkler systems, consider implementing a 24-hour fire watch.			
<input type="checkbox"/> Consider fire watch rounds to be conducted hourly whenever the building is not occupied.			
<input type="checkbox"/> Rounds should be recorded and should cover all areas of significant buildings on the site.			
<input type="checkbox"/> Ensure the fire watch has reliable means of communication and are instructed to call the fire department upon discovery of fire.			
<input type="checkbox"/> Ensure all handheld fire extinguishers and standpipe hose connections are in good working order now, in accordance with local regulations.			
<input type="checkbox"/> Conduct updated essential employee training on proper use of handheld fire extinguishers and hose connections as appropriate.			
<input type="checkbox"/> If Hot Work is conducted, be sure to follow the Chubb Hot Work Permit Program and Procedures			

Category	OKAY?		Comments
	YES	No	
<b>Building Water &amp; Freezing</b>			
<input type="checkbox"/> Shut off water in any areas of the building where it is not needed to help prevent interior water damage.			
<input type="checkbox"/> Drain domestic plumbing water pipes and add anti-freeze to any areas where water might remain.			
<input type="checkbox"/> Guards and other remaining essential staff should be trained for critical valve shut off locations and water damage mitigation efforts in the event of pipe burst, leakage event, etc.			
<input type="checkbox"/> Ensure the building maintains reliable heat to maintain a minimum temperature of 4°C.			
<input type="checkbox"/> For areas protected by a wet pipe sprinkler system, maintain adequate heat to prevent freezing of sprinkler pipes.			
<input type="checkbox"/> Consider installing IoT (internet of things) enabled water leak detection and temperature sensors in key critical areas of the building.			
<input type="checkbox"/> Make sure the building remains weather (wind and water) tight.			
<input type="checkbox"/> Inspect roofs and flashing to ensure they are secured properly.			
<input type="checkbox"/> Clear clogged roof drains, rain gutters and downspouts. Check drain pumps and downspouts.			
<input type="checkbox"/> Plan for cold weather as appropriate. Implement a program for snow removal for emergency access and roof loading to the building during the cold season.			
<input type="checkbox"/> Ensure all doors, windows, skylights, ventilators and shafts are weather tight to prevent cold air intrusion.			
<input type="checkbox"/> Inspect emergency heating systems now to assure proper operation and ensure adequate fuel supplies and reserves.			

Completed by:

Date:

Reviewed by:

Date:

**Chubb. Insured.<sup>SM</sup>**

All content in this material is for general information purposes only. It does not constitute personal advice or a recommendation to any individual or business of any product or service. Please refer to the policy documentation issued for full terms and conditions of coverage.

Chubb European Group SE (CEG) is an undertaking governed by the provisions of the French insurance code with registration number 450 327 374 RCS Nanterre. Registered office: La Tour Carpe Diem, 31 Place des Corolles, Esplanade Nord, 92400 Courbevoie, France. CEG has fully paid share capital of €896,176,662.

UK business address: 100 Leadenhall Street, London EC3A 3BP. Supervised by the French Prudential Supervision and Resolution Authority (4, Place de Budapest, CS 92459, 75436 PARIS CEDEX 09) and authorised and subject to limited regulation by the Financial Conduct Authority. Details about the extent of our regulation by the Financial Conduct Authority are available from us on request. You can find details about the firm by searching 'Chubb European Group SE' online at <https://register.fca.org.uk/>